| • | E | AST | T SEARCH 03 | DBS USPAT US-PGPUB; USPAT; | |
|---|------|------|---|---|---|
| | | | | 7/05/2006 YN | |
| | Туре | Hits | Search Text | DBs A A A A A A A A A A A A A A A A A A A | |
| 1 | BRS | 46 | population adj counter | USPAT UNIQUALITY |) |
| 2 | BRS | 56 | population adj counter | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | |
| 3 | BRS | 5510 | (population adj count\$3) complex near2 instruction | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | |
| 4 | BRS | 30 | (population adj count\$3) and (complex near2 instruction) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | |
| 5 | BRS | 1 | (population adj count\$3) same(complex near2 instruction) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM TDB | |
| 6 | BRS | 3 | (edge adj detect\$3) same (valid near2 instruction) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | |
| 7 | BRS | 2 | "6098165".pn. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | |
| 8 | BRS | 252 | 712/24.ccls. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | |

| | Type | Hits | Search Text | DBs |
|----|------|------|-------------------|---|
| 9 | BRS | 471 | 712/215.ccls. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 10 | BRS | 283 | 712/214.ccls. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM TDB |
| 11 | BRS | 370 | 712/226.ccls. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM TDB |
| 12 | BRS | 351 | 712/300.ccls. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM TDB |
| 13 | BRS | 827 | 712/205-207.ccls. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM TDB |
| 14 | BRS | 275 | 712/219.ccls. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 15 | BRS | 139 | 712/41.ccls. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |

| | Type | Hits | Search Text | DBs |
|----|------|-------|---|---|
| 16 | BRS | 5450 | (\$3valid\$5) near2 (instruction) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 17 | BRS | 333 | determin\$3) near2 S16 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 18 | BRS | 1 | with ((bund1\$3 or group\$3 or packet) near2 instruct\$4) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 19 | BRS | | monotonic with ((bundl\$3 or group\$3 or packet) near2 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 20 | BRS | 30 | monotonic with (instruction) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 21 | BRS | 27128 | edge adj detect\$3 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 22 | BRS | | (count\$3 or calculat\$3 or determin\$3 or detect\$3) near2 S16 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |

| | Туре | Hits | Search Text | DBs |
|----|------|-------|---|---|
| 23 | BRS | 71 | (complex adj instruction or (CISC)) with (shift\$3 or rotat\$3) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 24 | BRS | 123 | (complex adj instruction or (CISC)) with (shift\$3 or rotat\$3 or compress\$3 or expand\$3) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 25 | BRS | 20819 | becker.in. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 26 | BRS | 56 | S25 and matthew.in. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 27 | BRS | 9 | becker-matthew.in. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM TDB |
| 28 | BRS | 750 | 712/23.CCLS. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM TDB |
| 29 | BRS | 24 | becker-matthew\$5.in. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 30 | BRS | 1 | "6098165".pn. | USPAT |